Recommendation in E-commerce using innovator based collaborative filtering

¹Asfiya Arjum, ¹Deekshitha M, ¹Devika K, ¹Nikethan B S,

¹Department of Computer science and Engineering

¹,BGS Institute of Technology, B G Nagar mandya Karnataka.

Abstract:

In recent years the demand of social networking websites has been increased due to frequent uses of these sites by people. Social Networks play important role in the product's recommendation because nowadays peoples are connected with each other through Facebook, Twitter, Google+ etc., so it is easy to recommend a product to friends by social websites that whether to go for this product or not. Even companies are marketing their products on these social media's. In this paper, an attempt has been made to discuss product recommendation system and its related techniques. This paper is divided into four sections. In section I, product recommendation system is discussed. In section II, works related to different papers has been discussed. Section III includes different existing techniques with their benefits and drawbacks. Section IV presents problem statement and in section V different performance metrics has been presented.

Keywords: Social Networks (SNs), Products, Recommendation and Collaborative Filtering (CF).

1. INTRODUCTION

In the era of information technology and the Internet, people are getting very much confused with the huge amount of information, which leads to information overload. In this environment, whether it is information of consumers or product are experiencing a great challenge. As a consumer, it is very difficult to find information of interest from a lot of information available on any social network and also much harder to find the product of user's interest from enormous amount of products. Recommended system is the solution to this problem and makes intelligent agent system, and related techniques have been widely employed in some large famous commercial systems, such as Amazon, Ebay. With the enlargement of ecommerce, the number of users and goods are increasing exponentially, but traditional collaborative filtering technology performance is getting worse. Recommendation systems are based on the rankings and ratings given to product by the users [1]. So far, the collaborative filtering algorithm is still one of the most successful e-commerce recommendation systems. Collaborative Filtering is the technique of automatic filtering or analysing items by gathering the opinions of other people. The terminology collaborative filtering (CF) has only been alive for a little more than a decade, CF takes its geneses from something humans have been doing for centuries sharing opinions and interests with others. For years, people have followed the outdated tradition of discussing only those products which they have purchased, restaurants they have tried, and music they have listened and then used these handfuls of information to form opinions. Computers and the web technology allow us to visualize beyond the simple word-of-mouth. Instead of limiting ourselves to tens or hundreds of individuals, the Internet allows us to consider the opinions of thousands and even more. The speed of computer allows us to exercise these opinions in practical time and determine not only what a much larger community thinks about an item, but also expand a truly personalized view of that item using the most appropriate opinions for a given user or group of users.

2. RELATED WORK

The term user refers to any individual who issues ratings to a system. Most often, we utilize this term to refer those people who use a system to receive information (e.g., recommendations) although it also refers to those who provided the data (ratings) used in triggering this information. A collaborative filtering system generates forecast or suggestions for a given user for one or more items. Items can be anything such as art, books, CDs, restaurants, journal articles, or vacation destinations to which a human can imagine and provide a rating. Ratings in a Collaborative filtering system can be used in a variety of forms. The basic thinking behind Content-Based Collaborative Filtering is to use a content-based analyser to enhance current user data which is communicated via the user- item matrix 'R' and then deliver personalized suggestions through collaborative filtering. The content-based analyst is practical on each row from the first user-item matrix, corresponding to every individual user, and gradually creates a pseudo user- item matrix, 'PR'. At the end, each row 'i', of the pseudo user-item matrix 'PR' consists of the scores provided by user 'ui', when available and those grades analysed by the content-based predictor. Sparsity is a big problem for recommendation system. A huge number of products are sold on various e- commerce sites but only small subset of products is rated by frequent active users. Thus, it leads to a very big problem because the most popular items have very few ratings due to which users are not able to purchase good products. To resolve this problem an intelligent recommendation system is required which is capable of finding the ratings of those products which are not rated by the active users.

3. PROPOSED SYSTEM

Recommendation system is to solve this problem and make intelligent agent system, and related techniques have been widely employed in some large famous commercial systems, such as Amazon, Ebay etc. Here, in this section literature review on different existing techniques proposed by various researchers has been presented. This demonstrates their proposed PMCF framework allowed an accurate and efficient prediction of user's preferences. Similarly, Gediminas Adomavicius and Alexander Tuzhilin [7] presented an overview of the field of recommender systems and described the current generation of recommendation methods. A new heuristic similarity measure called PIP for collaborative filtering has been presented by Hyung Jun Ahn [8] that is widely used for automated product recommendation in Internet stores. Liu et al. [9] proposed a hybrid method that considers customer's purchase sequences over time and their purchase data for the current period. In particular, they show that how the input variables can be coded into GA chromosomes in various modes. The use of a recommender system was introduced preference and interest. Dhawan et al. [16] surveyed emotion mining techniques in social networks. Sometimes most of the active and vibrant users have a great impact on influencing others views and thoughts, such an impact can be negative as well as positive depending upon the conveyer and receptor's ability to think and understand. Also, these factors affect a person's reaction to a particular situation and there by influence others. Although the approaches mentioned above can improve the recommendation performance to some extent, the problems referring to sparse ratings and it affect the recommendation quality badly. The recommendation is done on the basis of user access history and rating. The advantage of collaborative techniques is that there is no requirement of manual data maintenance but at the same time drawbacks of this technique are faces scalability, cold start and sparsity problem.

4. ANALYSIS

The first condition was coupling trust, in this condition two friends recommended one common neighbour .The second condition was co-citation trust, in this condition the users are trusted by numbers of neighbour and the last condition was common trust relationship between users based on similar interests. The drawback of this mechanism was that by checking all these condition creates lots of overhead. Another drawback was recommendation is totally dependent on neighbour so if a neighbour behaves maliciously and recommend a wrong product then it may create problem. So to overcome these kinds of problem a novel mechanism is proposed.



Fig.1.Proposed System

In this technique products are recommended on the basis of calculated common interest using trust mechanism. In this technique data set is formulated into user-item matrices which are based on user's ratings. After that Jaccard and Cosine Method are used to find the similarities between the user's interests. Interest refers to both liking and disliking any product by users. Using these methods, users of similar interest are clustered or grouped together. This group of users is called the neighborhood of the user to whom we want to make recommendations. In these groups, users of similar interest as the given user are selected and are represented using User-Item Matrix. On this basis a Recommender System can be built which can find those products that are liked by lots of users in the group. Then it able to find the rating of the product on behalf of the other users rating prediction using Pearson Correlation method and then recommends those products to other users on the basis of rating using some social networking sites. After that Jaccard and Cosine Method are used to find the similarities between the user's interests. Interest refers to both liking and disliking any product by users. Using these methods, users of similar interest are clustered or grouped together. This group of users is called the neighborhood of the user to whom we want to make recommendations. In these groups, users of similar interest as the given user are selected and are represented using User-Item Matrix. On this basis a Recommender System can be built which can find those products that are liked by lots of users in the group. Then it able to find the rating of the product on behalf of the other users rating prediction using Pearson Correlation method and then recommends those products to other users on the basis of rating using some social networking sites.

CONCLUSION

In this paper, the main focus on the sparsity problem and enhance the recommendation accuracy in collaborative filtering systems. A new collaborative filtering algorithm is proposed to increase the recommendation accuracy. This approach is effective in finding similarities between user's interests which is used to find the ratings of products using some techniques like Pearson Correlation. The proposed solution may help to handle the sparsity problem and achieved significantly better recommendation quality than standard collaborative filtering approach.

REFERENCES

[1] White, T.Chu, W.Salehi-Abari, A Media Monitoring Using Social Networks , IEEE Second International Conference on Social Computing, pp. 661-668, Aug. 2010.

[2] WANG Guoxia, LIU Heping. Survey of Personalized Recommendation System, Computer Engineering and Application, pp. 66-76, Nov. 2013.

[3] Ziyang Zhang, Yuhong Liu, Zhigang Jin and Rui Zhang, Selecting Influential and Trustworthy Neighbors for Collaborative Filtering Recommender Systems, IEEE 7th Annual computing and Communication Workshop and Conference, pp. 1-7, January 2017.

[4] Aggarwal, C. C., Wolf, J. L., Wu K., and Yu, P. S., Horting Hatches an Egg: A New Graph-theoretic Approach to Collaborative Filtering, The 5th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, San Diego, CA. pp. 201-212, August 1999.

[5] F. Shao, F. Long, J. Liang, et al. Personalized recommendation based on trust and preference, Applied Mechanics and Materials, Volume 713- 715, pp. 2288-2291, 2015.

[6] Kai Yu, Anton Schwaighofer, Volker Tresp, Xiaowei Xu, and Hans-Peter Kriegel, Probabilistic Memory-Based Collaborative Filtering, IEEE Transactions on Knowledge and Data Engineering, Volume 16, Issue 1, pp.56-69, Feb. 2004.

[7] Gediminas Adomavicius and Alexander Tuzhilin, Toward the Next Generation of Recommender Systems: A Survey of the State-of-the-Art and Possible Extensions, IEEE Transactions on Knowledge and Data Engineering, Volume 17, Issue 6, pp. 734-749, April 2005.

[8] Hyung Jun Ahn, A new similarity measure for collaborative filtering to alleviate the new user coldstarting problem, Elsevier, Volume 178, Issue 1, pp. 37-51 January 2008.